

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	packet.ti. and (authenticat\$6 or filter\$5).ti. and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and 709/229.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 18:28
L2	75	packet (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and 709/229.ccls. and discard\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 18:30
S1	2	"20040213237"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/21 13:55
S2	4	2003-075865	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/21 15:21
S3	4	("2003075865").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/21 15:24
S4	3	"2000195706"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/21 15:57
S5	0	"10802948"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/21 16:04
S6	1	"10/802948"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/21 16:04

S7	0	"09863004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/21 16:06
S8	1	"09/863004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/21 16:06
S9	3	"09/893004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/21 16:07
S10	0	MAC and ipv6 and authenticat\$5 and filter\$5 and packet relay and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/22 11:14
S11	5	MAC and ipv6 and authenticat\$5 and filter\$5 and packet relay and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/22 11:14
S12	257	MAC and ipv6 and authenticat\$5 and filter\$5 and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/22 11:19
S13	0	MAC and ipv6 and authenticat\$5 and filter\$5 and packet and discard (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/22 16:44
S14	94	MAC and ipv6 and authenticat\$5 and filter\$5 and packet and discard and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/22 16:53
S15	1538	packet near2 authenticat\$6 and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/24 15:50

S16	886	packet near authenticat\$6 and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/24 15:51
S17	3831	packet (authenticat\$6 or filter \$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/24 16:39
S18	169	packet (authenticat\$6 or filter \$5) and ipv6 and MAC and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/24 16:39
S19	142	packet (authenticat\$6 or filter \$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and 709/238.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/24 17:16
S21	71	packet (authenticat\$6 or filter \$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and 709/238.ccls. and discard\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 09:35
S22	227	"5606668"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 10:56
S23	16	((("6745247") or ("6564216") or ("5749053") or ("6618761") or ("6523696") or ("6092191") or ("6282575") or ("6167444"))). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 11:11
S24	9	packet (authenticat\$6 or filter \$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and 709/238.ccls. and discard\$5 and MAC and IPv6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 11:38

S25	10	(US-20050163121-\$ or US-20060098653-\$ or US-20060168328-\$ or US-20020016858-\$ or US-20020143955-\$).did. or (US-7028100-\$ or US-7035939-\$ or US-6092110-\$ or US-5606668-\$ or US-7197572-\$).did.	US-PGPUB; USPAT	ADJ	ON	2008/02/25 11:39
S26	3	S25 and ipv6 and MAC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 11:39
S27	15	packet (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and 709/238.ccls. and discard\$5 and ipv6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 11:40
S28	1	"08956993"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 13:46
S29	0	("2004/0073671").URPN.	USPAT	ADJ	ON	2008/02/25 13:46
S30	2	("6092110").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/25 13:48
S31	32	("4715030" "4888796" "5172111" "5396493" "5448698" "5481720" "5561770" "5606668" "5615340" "5826014" "5848233" "5884025").PN. OR ("6092110").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/02/25 13:48
S32	1	packet same (authenticat\$6 or filter\$5) same ipv6 same MAC and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and 709/238.ccls. and discard\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 13:52

S33	11	packet near (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and 709/238.ccls. and discard\$5 and ipv6 and MAC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 13:52
S34	103	packet near (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and discard\$5 and ipv6 and MAC not S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 14:03
S35	363	packet near (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and discard\$5 and (ipv6 or ipv4 or ip) address same MAC address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 15:45
S36	363	packet near (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and discard\$5 and ((ipv6 or ipv4 or ip) address same MAC address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 15:46
S37	114	packet near (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and discard\$5 and ipv6 and MAC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 15:46
S38	971	packet.ti. and (authenticat\$6 or filter\$5).ti. and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 15:48
S39	10	packet.ti. and (authenticat\$6 or filter\$5).ti. and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and 709/238.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 15:49

S40	25	packet near (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and discard\$5 and (ipv6 or ipv4 or ip) address same MAC address and 709/238.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 16:08
S41	118	packet near (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and discard\$5 and source (ipv6 or ipv4 or ip) address same source MAC address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 16:48
S42	115	packet near (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and discard\$5 and source (ipv6 or ipv4 or ip) address same destination MAC address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 17:00
S43	43	packet near (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and discard\$5 and source (ipv6 or ipv4 or ip) address same destination MAC address not broadcom.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 17:13
S44	32	packet near (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and discard\$5 same source (ipv6 or ipv4 or ip) address same destination MAC address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 17:17
S45	94	packet near (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and discard\$5 same (ipv6 or ipv4 or ip) address same MAC address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 17:19

S46	0	packet near (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and discard\$5 near10 (ipv6 or ipv4 or ip) address near10 MAC address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 17:34
S47	0	packet near (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and discard\$5 near15 (ipv6 or ipv4 or ip) address near15 MAC address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 17:34
S48	0	packet near (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and discard\$5 near20 (ipv6 or ipv4 or ip) address near20 MAC address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 17:34
S49	0	packet near (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and discard\$5 near30 (ipv6 or ipv4 or ip) address near30 MAC address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/25 17:34
S50	14	packet (authenticat\$6 or filter\$5) and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319") and 709/238.ccls. and discard\$5 and password	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/26 10:46
S51	25	(US-20050163121-\$ or US-20060098653-\$ or US-20060168328-\$ or US-20020016858-\$ or US-20020143955-\$ or US-20040052257-\$ or US-20020108059-\$ or US-20020067726-\$ or US-20020031135-\$ or US-20030154302-\$).did. or (US-7028100-\$ or US-7035939-\$ or US-6092110-\$ or US-5606668-\$ or US-7197572-\$ or US-	US-PGPUB; USPAT	ADJ	ON	2008/02/26 10:52

		7181520-\$ or US-7149219-\$ or US-7073196-\$ or US-6466779-\$ or US-6442588-\$ or US-5561770-\$ or US-6925087-\$ or US-6876653-\$ or US-7134012-\$ or US-5835727-\$).did.				
S52	8	S51 and password	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/26 10:52
S53	6	S51 and password and discard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/26 10:52
S54	48	packet (authentikat\$6 or filter \$5) same MAC address same (ipv6 or ipv4 or iP) address and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/26 12:11
S55	33	packet (authentikat\$6 or filter \$5) same MAC address same (ipv6 or ipv4 or iP) address and discard\$5 and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/26 12:12
S56	79	spoof\$5 and 709/238.ccls. and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/26 12:18
S57	79	spoof\$5 and 709/238.ccls. and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/26 15:36
S58	12	S57 and (mac address same (ipv6 or ipv4 or ip) address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/26 15:36

S59	27	(US-20050163121-\$ or US-20060098653-\$ or US-20060168328-\$ or US-20020016858-\$ or US-20020143955-\$ or US-20040052257-\$ or US-20020108059-\$ or US-20020067726-\$ or US-20020031135-\$ or US-20030154302-\$ or US-20030174718-\$).did. or (US-7028100-\$ or US-7035939-\$ or US-6092110-\$ or US-5606668-\$ or US-7197572-\$ or US-7181520-\$ or US-7149219-\$ or US-7073196-\$ or US-6466779-\$ or US-6442588-\$ or US-5561770-\$ or US-6925087-\$ or US-6876653-\$ or US-7134012-\$ or US-5835727-\$ or US-5970066-\$).did.	US-PGPUB; USPAT	ADJ	ON	2008/02/27 10:56
S60	13	S59 and authenticat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/27 10:56
S61	7	S59 and authenticat\$5 and password	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/27 10:56
S62	27	(US-20050163121-\$ or US-20060098653-\$ or US-20060168328-\$ or US-20020016858-\$ or US-20020143955-\$ or US-20040052257-\$ or US-20020108059-\$ or US-20020067726-\$ or US-20020031135-\$ or US-20030154302-\$ or US-20030174718-\$).did. or (US-7028100-\$ or US-7035939-\$ or US-6092110-\$ or US-5606668-\$ or US-7197572-\$ or US-7181520-\$ or US-7149219-\$ or US-7073196-\$ or US-6466779-\$ or US-6442588-\$ or US-5561770-\$ or US-6925087-\$ or US-6876653-\$ or US-7134012-\$ or US-5835727-\$ or US-5970066-\$).did.	US-PGPUB; USPAT	ADJ	ON	2008/02/28 09:15
S63	10	S62 and encrypt\$5	US-PGPUB; USPAT	ADJ	ON	2008/02/28 09:15

S64	218	packet (authenticat\$6 or filter \$5) and encrypt\$5 and key exchange and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:43
S65	6	packet (authenticat\$6 or filter \$5) same encrypt\$5 same key exchange and (@pd<="20030319" or @ad<="20030319" or @rlad<="20030319" or @prad<="20030319")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/02/28 09:43

2/28/2008 6:32:07 PM

C:\Documents and Settings\kmai2\My Documents\EAST\Workspaces\10802948.wsp